

LABORATORY

When it comes to patient safety and efficient lab operations, positive ID is mission critical. But identification affects more than safety and efficiency – it impacts virtually every aspect of the clinical care environment, including patient satisfaction, care quality and more. Precision Dynamics offers labeling systems designed specifically for LIS systems, including Sunquest, Cerner, SoftLab, MEDITECH, and others.

- *V-Notch™ Secondary Labels*, along with BD Vacutainer® Plus Plastic Tubes, provide correct label placement the first time and every time! So you can ensure accurate identification and an optimal healthcare experience for patients and staff alike.



- **V-NOTCH™ LABELS**
- **LIS LABELS**
- **ISBT BLOOD BANK LABELS**
- **BLOOD BANDS AND FORMS**
- **POINT-OF-CARE LABELING SOLUTIONS**
- **PATHOLOGY & SPECIMEN LABELS**

- *ISBT Compliant Blood Bank Labels* enhance patient safety, while supporting ISBT 128 standards.
- *Blood Bands & Forms* use alpha numeric serialization to positively identify and match the right patient to the right blood.
- *Point-of-Care Labeling Systems* use bar code scanning and wireless mobility for convenient positive patient identification

LABORATORY LABELS

Meet these Joint Commission Patient Safety Goals & Standards

Goal #1:

Improve the accuracy of patient identification.

Goal #2:

Improve the effectiveness of communication among caregivers.



View the V-Notch Video Online



- Learn how you and your lab can benefit from standardized blood collection tube labeling for accuracy, efficiency and patient safety.
- Discover how V-Notch™ Secondary Labels also help save you time and money!
- Watch simple, step-by-step instructions on how to apply V-Notch™ Secondary Labels to BD Vacutainer® Plus Plastic Tubes.

www.pdcorp.com/v-notch

All PDC Laboratory products are latex-free and some are available with custom imprinting.



V-NOTCH™ SECONDARY LABELS:

The Simple Solution for Accurate Labeling & ID
 V-Notch™ Secondary Labels provide quick, easy and accurate identification of **BD Vacutainer® Plus Plastic Tubes**. The V-shaped notch aligns with the color-coded notch and sidebar to provide :

- ✓ **Consistent & Easy Labeling Guides**
- ✓ **Accurate & Reliable Bar Code Scanning**
- ✓ **Quicker Test Results**
- ✓ **Operational Efficiencies That Save Time & Money**
- ✓ **Increased Clinician Satisfaction**
- ✓ **Patient Safety & Satisfaction**
- ✓ **Accurate ID**



BEFORE



AFTER

TO APPLY THE V-NOTCH LABELS:


STEP 1:
 Peel your V-Notch™ Secondary Label from the liner.



STEP 2:
 Visually align the V-Notch™ with the color-coded notch on the BD Vacutainer® Plus plastic tube.



STEP 3:
 Before you apply the V-Notch™ Secondary label, make sure the color-coded notch and the color-coded sidebar on the BD Vacutainer® Plus Plastic Tube are clearly visible. Smoothly wrap the label around the tube.



**POSITIVE ID.
 POSITIVE OUTCOMES.**


TOP SELLER

PIEDMONT HOSPITAL ATLANTA, GA

"After switching to V-Notch™ labels, we increased our number of lab results by 290,000 over 3 years! That's a 14% increase in productivity. On top of that, we reduced test tube label costs by 6%.

V-Notch™ helped us reduce expenses, increase efficiency, and maintain our focus on patient safety and quality care."


DAWN D. MOORE,
 Laboratory Director



UNIVERSITY OF KENTUCKY

"Prior to using V-Notch™, our staff was forced to re-label more than 90% of our test tubes. Now that we're using V-Notch™, we're re-labeling fewer than 10%. Plus, we're experiencing significant time and cost savings."

BARBARA BUSH,
 Laboratory Manager







LABORATORY INFORMATION SYSTEM LABELS

LABORATORY







Sunquest Labeling Solutions for your Laboratory

The following labels are designed specifically for Sunquest Information Systems as well as routine labeling applications. The BD symbol in this section indicates a V-notch label, which are developed in conjunction with BD to prevent misidentification errors from unaligned labels, while facilitating accurate bar code scanning.




Product Number	Label Size	Core Size	Max OD	Material/Adhesive	Qty.
TD-SQ4	1-3/16" x 4-1/8"	3"	7-1/2"	Direct Thermal/Glove	4.3M/RL-2RLS/BX
TD1-SQ4		1"	4"	Direct Thermal/Glove	1M/RL-6RLS/BX
TD1-SQ4-BD		1"	4"	Direct Thermal/Glove	1M/RL-6RLS/BX
TD-SQ4-XP		3"	7-1/2"	Direct Thermal/Xtra Permanent	4.3M/RL-2RLS/BX
TD-SQ4-XPBD		3"	7-1/2"	Direct Thermal/Xtra Permanent	4.3M/RL-2RLS/BX
DPS-SQ4		3"	7-1/2"	Infrared/Glove	4.3M/RL-2RLS/BX
TD-SQ4Y		3"	7-1/2"	Direct Thermal/Glove	4.3M/RL-2RLS/BX
TD-SQ4Y-XP		3"	7-1/2"	Direct Thermal/Xtra Permanent	4.3M/RL-2RLS/BX
DPS-SQ4Y		3"	7-1/2"	Infrared/Glove	4.3M/RL-2RLS/BX
TD-SQ4-BD		3"	7-1/2"	Direct Thermal/Glove	4.3M/RL-2RLS/BX
TD-SQ4Y-BD		3"	7-1/2"	Direct Thermal/Glove	4.3M/RL-2RLS/BX



Product Number	Label Size	Core Size	Max OD	Material/Adhesive	Qty.
DPS-SQBLSTR	1-3/16" x 4-1/8"	1-1/2"	4"	Infrared/Glove	1.2M/RL-8RLS/BX
TD-SQBLSTR				Direct Thermal/Glove	
TD-SQBLTR-XP				Direct Thermal/Xtra Permanent	
DPS-SQBSLRED				Infrared/Glove	
TD-SQBSLRED				Direct Thermal/Glove	
TD-SQBSLRED-BD				Direct Thermal/Glove	
TD-SQBLSTRBD				Direct Thermal/Glove	

BD, BD Logo, and V-Notch™ trademarks are the property of Becton, Dickinson and Company. ©2005 BD.

Sunquest Labeling Solutions for your Laboratory



Product Number	Label Size	Core Size	Max OD	Material/Adhesive	Qty.
TD-SQ4YB	1-3/16" x 4-1/8"	3"	7-1/2"	Direct Thermal/Glove	4.3M/RL-2RLS/BX
TD-SQ4YB-BD				Direct Thermal/Glove	
TD-SQ4B				Direct Thermal/Glove	
TD-SQ4B-BD				Direct Thermal/Glove	
DPS-SQ4B				Infrared/Glove	
TD-SQ4R				Direct Thermal/Glove	
TD-SQ4R-BD				Direct Thermal/Glove	
TD-SQ4R-XP				Direct Thermal/Xtra Permanent	
DPS-SQ4R				Infrared/Glove	
TD-SQ4-SL				Direct Thermal/Glove	
TD-SQ4-SLBD				Direct Thermal/Glove	

“Each year more than 7 billion laboratory tests are performed in North America, influencing an estimated 70% of medical decisions.”



Implementation Guide for the use of Bar Code Technology in Healthcare published by HIMSS

LABORATORY INFORMATION SYSTEM LABELS

LABORATORY




Sunquest Labeling Solutions for your Laboratory




V-NOTCH




Product Number	Label Size	Core Size	Max OD	Material/Adhesive	Qty.
TD-SQBL	1-3/16" x 4-1/8"	1-1/2"	4"	Direct Thermal/Glove	1.2M/RL-8RLS/BX
DPS-SQBLS-SL				Infrared/Glove	
TD-SQBLS-SL				Direct Thermal/Glove	
TD-SQBLSL-BD				Direct Thermal/Glove	




Product Number	Label Size	Core Size	Max OD	Material/Adhesive	Qty.
DPS-MSQ-22	1-7/16" x 3-1/16"	3"	5-1/8"	Infrared/Glove	1.2M/RL-5RLS/BX
TD-MSQ-22				Direct Thermal/Glove	




Product Number	Label Size	Carrier Width	Core Size	Material/Adhesive	Qty.
DPS-MSQ-21	1-7/16" x 8-15/32"	8-1/2"	Fanfold	Infrared/Glove	5M/BX



new!




V-Notch




Product Number	Label Size	Core Size	Max OD	Material/Adhesive	Qty.
TD-MSQ-23	1-7/16" x 3-1/16"	1"	3-3/4"	Direct Thermal/Glove	1M/RL-5RLS/BX
TD-MSQ-23BD					
TD-MSQ23-R					




Sunquest Labeling Solutions for your Laboratory



Product Number	Label Size	Core Size	Max OD	Material/Adhesive	Qty.
TTRS-23	2" x 3"	1"	3-3/4"	Thermal Transfer Film Kimdura/Perm	1M/RL



Product Number	Label Size	Carrier Width	Material/Adhesive	Qty.
DPS-SQ2	13/16" x 2-5/8"	4-3/4"	Smudge Proof Flexo/Permanent	5M/BX




Product Number	Sheet Size	Carrier Width	Core Size	Material/Adhesive	Qty.
DPS-SQ3	5" x 12"	12"	Fanfold/EDP	Smudge Proof Flexo/Glove & Paper	1M/BX

LABORATORY INFORMATION SYSTEM LABELS


LABORATORY




Sunquest Labeling Solutions for your Laboratory



Product Number	Sheet Size	Carrier Width	Core Size	Material/Adhesive	Qty.
DPS-SQ5	3-7/16" x 8"	9"	Fanfold/EDP	Smudge Proof Flexo/Permanent	2M/BX



Product Number	Sheet Size	Carrier Width	Core Size	Material/Adhesive	Qty.
DPS-SQ6	6-7/8" x 8-7/8"	11"	Fanfold/EDP	Smudge Proof Flexo/Permanent	1M/BX




Product Number	Sheet Size	Carrier Width	Core Size	Material/Adhesive	Qty.
DPS-SQ7	5-3/8" x 8"	9"	Fanfold/EDP	Smudge Proof Flexo/Permanent	1M/BX






Sunquest Labeling Solutions for your Laboratory




Product Number	Label Size	Core Size	Max OD	Material/Adhesive	Qty.
TD1A-SQ7	6-5/8" x 3-3/4"	1-1/2"	4-7/8"	Direct Thermal/Glove	400/RL-8RLS/BX

Cerner Labeling Solutions for your Laboratory



Product Number	Label Size	Carrier Width	Core Size	Material/Adhesive	Qty.
DPS-L1A	11/12" x 4-1/4"	9-1/2"	Fanfold/EDP	Smudge Proof Flexo/Glove	5M/BX
DPS-L1TWIN				Smudge Proof Litho/Glove	




Product Number	Label Size	Carrier Width	Core Size	Material/Adhesive	Qty.
DPS-PN2	1-3/4" x 5-1/10"	10-1/5"	Fanfold/EDP	Smudge Proof Litho/Perm	2.5M/BX
DPS-PNTWIN		10-1/10"		Smudge Proof Litho/Cold Glove	

LABORATORY INFORMATION SYSTEM LABELS




LABORATORY



Cerner Labeling Solutions for your Laboratory





Product Number	Label Size	Core Size	Max OD	Material/Adhesive	Qty.
TD-PN-115162	1-15/16" x 2"	3"	7-1/2"	Direct Thermal/Glove	2.7M/RL-6RLS/BX
TD-PN115162A	1-15/16" x 2"	3"	7-1/2"		
TD1PN115162A	1-15/16" x 2"	1"	4-1/4"		




Product Number	Label Size	Core Size	Max OD	Material/Adhesive	Qty.
TD-PN3-BD	2-3/16" x 7-1/2"	3"	7-1/2"	Direct Thermal/Glove	2.4M/RL-1RL/BX
TD-PN3	2-1/2" x 8-1/2"		8"		2.3M/RL-1RL/BX
TD-PN3-NTCH	2-3/16" x 7-1/2"		7-1/2"		2.4M/RL-1RL/BX


Cerner Labeling Solutions for your Laboratory



new!



Product Number	Label Size	Core Size	Max OD	Material/Adhesive	Qty.
DPS-PN4-BD	2-3/16" x 4"	3"	8"	Infrared Thermal/Glove	2.6M/RL-2RLS/BX
TD-PN4-BD	2-3/16" x 4"	3"	8-1/4"	Direct Thermal/Glove	2.6M/RL-2RLS/BX
TD-PN4-NTCH	2-3/16" x 4"	3"	8-1/4"	Direct Thermal/Glove	2.6M/RL-2RLS/BX
TD-PN4-BDS	2-3/16" x 4"	3"	8"	Direct Thermal Film/Perm	2.6M/RL-2RLS/BX
TD-PN4-S	2-1/2" x 5-1/4"	Fanfold/EDP	-	Direct Thermal/Glove	5M/BX










Product Number	Label Size	Core Size	Max OD	Material/Adhesive	Qty.
DPS-PN5	2-1/2" x 2-1/4"	3"	7-1/2"	Infrared Thermal/Glove	2M/RL-4RLS/BX
TD-PN5	2-1/2" x 2-1/4"			Direct Thermal/Glove	
TD-PN5-BD	2-1/2" x 2-1/4"			Direct Thermal/Glove	

LABORATORY INFORMATION SYSTEM LABELS


LABORATORY



Cerner Labeling Solutions for your Laboratory



Product Number	Label Size	Core Size	Max OD	Material/Adhesive	Qty.
DPS-PN6	4-1/2" x 4"	3"	7"	Infrared Thermal/Glove	1M/RL-2RLS/BX
TD-PN6A-SL		3"	7"	Direct Thermal/Glove	1M/RL-2RLS/BX
TD-PN6B-SL		3"	7"	Direct Thermal/Glove	1M/RL-2RLS/BX
TD-PN6A-SLBD		3"	7"	Direct Thermal/Glove	1M/RL-2RLS/BX
DPS-PN6-SL		3"	7"	Infrared Thermal/Glove	1M/RL-2RLS/BX
TD-PN6-SL		3"	7"	Direct Thermal/Glove	1M/RL-2RLS/BX
TD-PN6-SLZ		1-1/2"	5-1/4"	Direct Thermal/Glove	600/RL-4RLS/BX
TD-PN6-SLZBD		1-1/2"	5-1/4"	Direct Thermal/Glove	600/RL-4RLS/BX
TD1-PN6-SL		1"	4-1/2"	Direct Thermal/Glove	500/RL-4RLS/BX
TD1-PN6-SLBD		1"	4-1/2"	Direct Thermal/Glove	500/RL-4RLS/BX
TD-PN6-SLY		3"	7"	Direct Thermal/Glove	1M/RL-2RLS/BX
TD-PN6-SLYBD		3"	7"	Direct Thermal/Glove	1M/RL-2RLS/BX
TD-PN6-SLBD		3"	7"	Direct Thermal/Glove	1M/RL-2RLS/BX
DPS-PN6-SLBD		3"	7"	Infrared Thermal/Glove	1M/RL-2RLS/BX




Product Number	Label Size	Core Size	Max OD	Material/Adhesive	Qty.
TD-PN7-S	1-1/8" x 2"	3"	8"	Direct Thermal Film/Perm	5M/RL-6RLS/BX

LABORATORY INFORMATION SYSTEM LABELS

LABORATORY



Cerner Labeling Solutions for your Laboratory




new!


V-Notch

For mobile printer labels with 3/4" cores, see page 106 of this catalog section.

Product Number	Label Size	Core Size	Max OD	Material/Adhesive	Qty.
TD-PN8	1-1/4" x 2"	3"	6-1/2"	Direct Thermal/Glove	3M/RL-6RLS/BX
TD-PN8-S		3"	7"	Direct Thermal Film/Perm	3M/RL-6RLS/BX
TD1-PN8		1"	4"	Direct Thermal/Glove	1M/RL-6RLS/BX
TD-PN8-BD		3"	6-1/2"	Direct Thermal/Glove	3M/RL-6RLS/BX
TD1-PN8-BD		1"	4"	Direct Thermal/Glove	1M/RL-6RLS/BX





Product Number	Label Size	Core Size	Max OD	Material/Adhesive	Qty.
DPS-PN9	2-3/16" x 4"	3"	5-1/2"	Infrared Thermal/Glove	1M/RL-4RLS/BX



Product Number	Label Size	Core Size	Max OD	Material/Adhesive	Qty.
DPS-PN12-SL	2-3/16" x 2"	3"	8"	Infrared Thermal/Perm	1M/RL-4RLS/BX
TD-PN12-SL				Direct Thermal/Perm	

For mobile printer labels with 3/4" cores, see page 106 of this catalog section.



Product Number	Label Size	Carrier Width	Core Size	Material/Adhesive	Qty.
DPS-MPN-01	1-3/4" x 8-1/2"	8-1/2"	Fanfold	Infrared Thermal/Glove	5M/BX
TD-MPN-122	1-3/8" x 8-15/32"			Direct Thermal/Glove	4M/BX



LABORATORY

LABORATORY INFORMATION SYSTEM LABELS

LABORATORY




Cerner Labeling Solutions for your Laboratory





Product Number	Label Size	Core Size	Max OD	Material/Adhesive	Qty.
TDS-1142	1-1/4" x 2"	3"	8"	Direct Thermal Film/Glove	2M/RL-4RLS/BX
TD-2344-XP	2-3/4" x 4"	1"	4"	Direct Thermal/Extra Perm	700/RL-5RLS/BX

For Cerner DHT Systems



Product Number	Label Size	Core Size	Max OD	Material/Adhesive	Qty.
DPS-DH-3	5-15/16" x 3-3/10"	3"	7-3/4"	Infrared Thermal/Glove	1M/RL-2RLS/BX





SoftLab Labeling Solutions for your Laboratory



Product Number	Label Size	Core Size	Max OD	Material/Adhesive	Qty.
TD-SL1212	1" x 2-1/2"	3"	8"	Direct Thermal/Glove	4M/RL-2RLS/BX
TD1B-1212XP		1-5/8"	4-3/4"	Direct Thermal/Extra Perm	2M/RL-12RLS/BX
TD1B1212XPBD		1-5/8"	4-3/4"	Direct Thermal/Extra Perm	2M/RL-12RLS/BX
TD-SL1212Y		3"	8"	Direct Thermal/Glove	4M/RL-2RLS/BX



SoftLab Labeling Solutions for your Laboratory



V-NOTCH

Product Number	Label Size	Core Size	Max OD	Material/Adhesive	Qty.
TD-SL3	1-3/8" x 3"	3"	8"	Direct Thermal/Glove	2.5M/RL-2RLS/BX
TD1-SL3		1"	5"		1.5M/RL-3RLS/BX
TD1-SL3-BD		1"	5"		1.5M/RL-3RLS/BX
TD1-SL3RB		1"	5"		1.5M/RL-3RLS/BX
TD1-SL3YB		1"	5"		1.5M/RL-3RLS/BX

MEDITECH Labeling Solutions for your Laboratory



Product Number	Label Size	Carrier Width	Core Size	Material/Adhesive	Qty.
DPS-MIT2A	1-1/4" x 9"	10"	Fanfold/EDP	Smudge Proof Flexo/Glove	5M/BX

LABORATORY INFORMATION SYSTEM LABELS

LABORATORY



MEDITECH Labeling Solutions for your Laboratory

Carrier Width: 4-1/8"	DPS-MIT-3 TD-MIT-3 TD1-MIT-3 TD-MIT3-XS	Carrier Width: 4-1/8"	DPS-MIT-3R TD-MIT-3R TD1-MIT-3R DPS-MIT3R-XS TD-MIT3R-XS
-----------------------	--	-----------------------	--

Product Number	Label Size	Core Size	Max OD	Material/Adhesive	Qty.
DPS-MIT-3	1-1/4" x 4"	3"	7"	Infrared Thermal/Glove	3.6M/RL-1RL/BX
TD-MIT-3		3"	7"	Direct Thermal/Glove	3.6M/RL-1RL/BX
TD1-MIT-3		1"	4"	Direct Thermal/Glove	1M/RL-6RLS/BX
TD-MIT3-XS		3"	5-1/2"	Direct Thermal/Glove	1.8M/RL-2RLS/BX
DPS-MIT-3R		3"	7"	Infrared Thermal/Glove	3.6M/RL-1RL/BX
TD-MIT-3R		3"	7"	Direct Thermal/Glove	3.6M/RL-1RL/BX
TD1-MIT-3R		1"	4"	Direct Thermal/Glove	1M/RL-6RLS/BX
TD-MIT3R-XS		3"	5-1/2"	Direct Thermal/Glove	1.8M/RL-2RLS/BX

TD-MIT-3BD TD1-MIT-3BD DPS-MIT-3BD		V-NOTCH
Carrier Width: 4-1/8"		

TD-MIT-3RBD		V-NOTCH
Carrier Width: 4-1/8"		

TD-MIT-3GBD		V-NOTCH
Carrier Width: 4-1/8"		

new!

TD-MIT-3BBBD		V-NOTCH
TD-MIT-3BBBD Carrier Width: 4-1/8"		

new!


Product Number	Label Size	Core Size	Max OD	Material/Adhesive	Qty.
TD-MIT-3BD	1-1/4" x 4"	3"	7"	Direct Thermal/Glove	3.6M/RL-1RL/BX
TD1-MIT-3BD		1"	4"	Direct Thermal/Glove	1M/RL-6RLS/BX
DPS-MIT-3BD		3"	7"	Infrared Thermal/Glove	3.6M/RL-1RL/BX
TD-MIT-3GBD		3"	7"	Direct Thermal/Glove	3.6M/RL-1RL/BX
TD-MIT-3RBD		3"	7"	Direct Thermal/Glove	3.6M/RL-1RL/BX
TD-MIT-3BBBD		3"	7"	Direct Thermal/Glove	3.6M/RL-1RL/BX

2-1/4" x 3-3/8"	
Carrier Width: 3-1/2"	
2-1/4" x 1-1/8"	
3/4" x 9/16"	

Product Number	Label Size	Core Size	Max OD	Material/Adhesive	Qty.
DPS-MIT-444	5-1/4" x 3-3/8"	3"	6"	Infrared Thermal/Glove	500/RL-2RLS/BX
TD-MIT-444				Direct Thermal/Glove	




Citation Labeling Solutions for your Laboratory



Product Number	Label Size	Core Size	Max OD	Material/Adhesive	Qty.
DPS-L5	1-1/4" x 3-1/8"	3"	7-1/2"	Thermal Transfer/Glove	4.2M/RL-2RLS/BX
TD-L5SPTH				Direct Thermal/Glove	



PDC offers a variety of ribbon formulations to ensure performance from your thermal printer, label stock and label application. Listed in our Thermal Transfer Solutions section (page 191), you will find our most popular ribbons based on the printer model and label size. Please contact your PDC sales representative at **800-323-4840** or view our website at www.timemed.com to match a ribbon to your label stock and thermal printer.



Calculating the Number of Ribbons Needed for a Label Order:

Formula: Vertical Length of label + distance between labels (usually 1/8") x quantity of labels (to get total in inches) divided by 12 (to get total in feet) divided by length of ribbon (in feet) = number of ribbons needed.



SAMPLE DATA

1"	Label Length	
+ .125"	Between Labels	
= 1.125"	TOTAL Length	
x 50,000	Number of Labels	
= 56,250"	TOTAL in Inches	
÷ 12	Divided by 12 to get feet	
= 4,688'	TOTAL in Feet	
÷ 1,476'	Divided by length of ribbon	
= 3.18 or 4	TOTAL # of Ribbons Needed (round up)	

Citation Labeling Solutions for Direct Thermal Printers					
Product Number	Label Size	Core Size	Max OD	Material/Adhesive	Qty.
DPS-L4	1" x 3-1/8"	3"	7-1/4"	Thermal Transfer/Glove	5M/RL-2RLS/BX
Thermal Transfer Ribbons					
Product Number	Ribbon Size	For Use With	Formula	Qty.	
RBN-L4	3.27" x 1476'	DPS-L4 Labels	Wax (High Mark)	1EA	
Kits: Label and Ribbon Combinations					
Product Number	Box Contents				
DPS-L4RBN	(3) rolls of DPS-L4 labels and (1) RBN-L4 ribbon				

See the Thermal Transfer Product section of this catalog for more information

CPSI Labeling Solutions for your Laboratory




Product Number	Label Size	Core Size	Max OD	Material/Adhesive	Qty.
TD-CPSI-312	15/16" x 3-1/2"	3"	7-3/4"	Direct Thermal/Glove	5M/RL-2RLS/BX
TD-CPSI-312A					
TD-CPSI312-BD					

LABORATORY INFORMATION SYSTEM LABELS


LABORATORY



SMS Labeling Solutions for your Laboratory



Product Number	Label Size	Core Size	Max OD	Material/Adhesive	Qty.
TD-MSMS-82	6" x 4-1/4"	3"	6"	Direct Thermal/Glove	500/RL-4RLS/BX
TD-MSMS-82BD					
TD-MSMS-82P					
TD-MSMS-82Y					




Product Number	Label Size	Core Size	Max OD	Material/Adhesive	Qty.
TD-SMS-2A	6" x 4-1/4"	3"	7-3/4"	Direct Thermal/Glove	870/RL-2RLS/BX




TIP: Max OD is the manufacturer's recommended roll size for particular equipment. PDC labels are produced so as NEVER to exceed the published manufacturer's Max OD specifications.




VA Labeling Solutions for your Laboratory



Product Number	Label Size	Core Size	Max OD	Material/Adhesive	Qty.
DPS-CHCS	3-3/4" x 1-1/2"	3"	6-1/2"	Infrared/Glove	1M/RL-4RLS/BX




Product Number	Label Size	Carrier Width	Core Size	Material/Adhesive	Qty.
DPS-VA1	1-5/16" x 8-3/16"	9-1/4"	Fanfold	Smudgeproof Flexo/Perm	5M/BX



Product Number	Label Size	Core Size	Max OD	Material/Adhesive	Qty.
DPS-VA2	4" x 2-3/8"	3"	6"	Infrared/Glove	800/RL-4RLS/BX
TD-VA2				Direct Thermal/Glove	
TD-VA2-BD				Direct Thermal/Glove	

For Health Science Systems




Product Number	Label Size	Core Size	Max OD	Material/Adhesive	Qty.
HSS-3418	3" x 4-1/8"	1-1/2"	4-1/4"	Infrared/Glove	500/RL-20RLS/BX

LABORATORY INFORMATION SYSTEM LABELS

LABORATORY





For MedLab Systems




Product Number	Label Size	Carrier Width	Core Size	Material/Adhesive	Qty.
DPS-MLA	1-5/16" x 8-3/16"	9-1/4"	Fanfold/EDP	Smudgeproof Flexo/Glove	5M/BX
DPS-ML1				Light Weight/Perm	

For Other Laboratory Information Systems



Product Number	Label Size	Core Size	Max OD	Material/Adhesive	Qty.
TD-12-XP	1" x 2"	3"	8"	Direct Thermal/XPerm	4M/RL-4RLS/BX
TD1-12-XP	1" x 2"	1"	5"		2.5M/RL-4RLS/BX
TD-114214-XP	1-1/4" x 2-1/4"	1"	3-3/4"		1,135/RL-12RLS/BX
TD1-114214	1-1/4" x 2-1/4"	1"	3-3/4"	Direct Thermal/Glove	1,135/RL-12RLS/BX
TD1B-1212XP	1" x 2-1/2"	1-5/8"	4-3/4"	Direct Thermal/XPerm	2M/RL-12RLS/BX




For Other Laboratory Information Systems




Product Number	Label Size	Core Size	Max OD	Material/Adhesive	Qty.
TD-2344-XP	2-3/4" x 4"	1"	4"	Direct Thermal/Glove	700/RL-5RLS/BX




For Other Laboratory Information Systems



Product Number	Label Size	Core Size	Max OD	Material/Adhesive	Qty.
TI-1212	1" x 2-1/2"	3"	8"	Infrared Thermal/Glove	4M/RL-4RLS/BX
TI-138178	1-3/8" x 1-7/8"	1-1/2"	4"		1M/RL-6RLS/BX
TI-138218	1-3/8" x 2-1/8"	3"	7-3/4"		4M/RL-5RLS/BX



Product Number	Label Size	Core Size	Max OD	Material/Adhesive	Qty.
TTR-HMS-554	5-1/2" x 4"	3"	7-1/4"	Thermal Transfer/Glove	1.1M/RL-4RLS/BX



Product Number	Label Size	Core Size	Max OD	Material/Adhesive	Qty.
TD1-14	1" x 4"	1"	4"	Direct Therm/Glove	1.3M/RL-4RLS/BX
TD3-14	1" x 4"	3"	6-1/2"	Direct Therm/Glove	3.3M/RL-4RLS/BX
DPS-SL131631	1-3/16" x 3-1/8"	3"	7-1/2"	Infrared/XPerm	2.5M/RL-8RLS/BX

ISBT BLOOD BANK LABELS & BANDS






LABORATORY



Reduce Errors and Improve Patient Safety with ISBT Compliant Labels

PDC can help you meet the ISBT Blood Bank standards with our complete line of blank and pre-printed labels.


Our blank stock labels are available in two materials to help control your budget and the needs of your facility. The long lasting adhesive ensures that labels remain securely in place when moving from freezer, to water bath, to room temperature. Available in single quadrant, double quadrant and full face configurations, our labels are precisely sized to run easily through your thermal printer while producing accurate bar codes and eye readable information.



Direct Thermal and Thermal Transfer Blood Bank Labels					
Product Number	Label Size	Core Size	Carrier Width	Material/Adhesive	Qty.
TD-128-44	4" x 4"	3"	4-1/8"	Direct Thermal/Cold Temp	950/RL-4RLS/BX
TDS-128-44	4" x 4"		4-1/8"	Direct Thermal Film/Perm	950/RL-4RLS/BX
TTR-128-44	4" x 4"		4-1/8"	Thermal Transfer/Perm	950/RL-4RLS/BX
TTRS-128-44	4" x 4"		4-1/8"	Thermal Transfer Film/Perm	950/RL-4RLS/BX
TDS-128-22	2" x 2"		2-1/8"	Direct Thermal Film/Perm	2500/RL-4RLS/BX
TTRS-128-22	2" x 2"		2-1/8"	Thermal Transfer Film/Perm	2500/RL-4RLS/BX
TDS-128-24	2" x 4"		4-1/8"	Direct Thermal Film/Perm	2900/RL-3RLS/BX
TTRS-128-24	2" x 4"		4-1/8"	Thermal Transfer Film/Perm	2900/RL-3RLS/BX
TT-RAD4X4	4" x 4"		4-1/8"	Thermal Transfer/Glove	1.3M/RL-2RLS/BX

For information on thermal transfer ribbons that are compatible with your ISBT 128 labels and on-demand printing systems, see page 191 of the Thermal Transfer Solutions section.

Unable to print labels from your current system? PDC can assist you with a variety of preprinted labels quickly and economically. Our preprinted labels provide your facility flexibility as it converts to the new standard for using ISBT 124.



Preprinted Label Options:

ABO/Rh Blood Group Labels					
Product Number	Description	Label Size	Core Size	Material/Adhesive	Qty.
ISBT0600	A Rh Negative	2" x 2"	3"	Thermal Transfer Film/Perm	250/RL-1RL/BX
ISBT6200	A Rh Positive				
ISBT1700	B Rh Negative				
ISBT7300	B Rh Positive				
ISBT9500	O Rh Negative				
ISBT5100	O Rh Positive				
ISBT2800	AB Rh Negative				
ISBT8400	AB Rh Positive				



ISBT Pre-Printed Label Options

You can view additional product images on our web site under the laboratory section/blood bank.



Donor Identification Labels				
Product Number	Label Size	Core Size	Material/Adhesive	Qty.
ISBTC584	5/8" x 2"	3"	Thermal Transfer Film/Perm	250/RL-1RL/BX
ISBTC582	5/8" x 2"	3"	Thermal Transfer Film/Perm	500 Pairs/RL
CMV Negative Labels				
ISBTCCMV (NOT Shown)	5/8" x 2"	3"	Thermal Transfer Film/Perm	250/RL-1RL/BX
Product Number Labels - Over 2,600 conversions available				
ISBTE2684 (Shown)	2" x 2"	3"	Thermal Transfer Film/Perm	250/RL-1RL/BX

Blood Bands and Forms

Securline® Blood Bands

The top wristband choice of hospitals and blood centers to reduce misidentification errors, while increasing patient comfort and safety.



See page 53 for additional product information.



Securline® Blood Bands Plus

Features adhesive peel-off tail that applies directly to draw tubes.



New DOB field is an additional identifier

Ident-A® Blood Recipient System

This efficient blood recipient patient ID system features non-transferable, moisture-resistant wristbands with pre-numbered insert cards; label sheets; cross match reports; and requisition forms.



Securlink® Blood Recipient System

The Securlink® System links the patient, the transfused blood and all the related paperwork to assure safe and complete blood transfusion. Order the full system (includes 250 bands and forms) or purchase separately. The wristband is made of soft vinyl, featuring a tamper proof patented SecurSnap® closure.



POINT-OF-CARE LABELING SOLUTIONS

LABORATORY



Labeling Solutions for Point-of-Care Safety






Increase patient safety and assure accuracy of identification at the point-of-care. Whether it's medication administration or specimen collection, PDC labels help hospitals utilize the latest bar code scanning and wireless mobility products for medical care.

Labeling at the point of collection

- Provides an immediate method of positive identification
- Increases accuracy of labeling specimens and containers
- Can help reduce costs associated with retesting

When accuracy and speed of diagnosis count, count on PDC point-of-care labeling solutions. For additional information, please contact your local PDC sales representative.




V-Notch

new!



new!



new!



V-Notch

V-Notch

V-Notch



Product Number	Label Size	Core Size	Max OD	Material/Adhesive	Qty.
TD75-1142	1-1/4" x 2"	3/4"	2"	Direct Thermal/Glove	250/RL-8RLS/BX
TD75F-1142	1-1/4" x 2"		2"	Direct Thermal Film/Glove	
TD75-1142-BD	1-1/4" x 2"		2"	Direct Thermal/Glove	
TD75-1142A	1-1/4" x 2"		2"	Direct Thermal/Glove	
TD75-23162BD	2-3/16" x 2"	3/4"	2.2"	Direct Thermal/Glove	200/RL-8RLS/BX
TD75-SQ-BD	2-3/16" x 2"		2.2"	Direct Thermal/Glove	
TD75-17162BD	2-3/16" x 2"		2"	Direct Thermal/Glove	