

# SUNQUEST INFORMATION SYSTEM LABELS

When it comes to patient safety and efficient lab operations, positive ID is mission critical. But identification affects more than safety and efficiency – it impacts virtually every aspect of the clinical care environment, including patient satisfaction, care quality and more. Precision Dynamics offers labeling solutions specifically designed to work with your Sunquest Information Systems and routine labeling operations.

- *V-Notch™ Secondary Labels*, along with BD Vacutainer® Plus Plastic Tubes, provide correct label placement the first time and every time! So you can ensure accurate identification and an optimal healthcare experience for patients and staff alike.



- **V-NOTCH™ LABEL DIRECTIONS**
- **SUNQUEST LABELING SOLUTIONS**
- **POINT-OF-CARE LABELING SOLUTIONS**

- *Point-of-Care Labeling Systems* use bar code scanning and wireless mobility for convenient positive patient identification

## LABORATORY LABELS

Meet these Joint Commission Patient Safety Goals & Standards

### Goal #1:

Improve the accuracy of patient identification.

### Goal #2:

Improve the effectiveness of communication among caregivers.



### View the V-Notch Video Online

- Learn how you and your lab can benefit from standardized blood collection tube labeling for accuracy, efficiency and patient safety.
- Discover how V-Notch™ Secondary Labels also help save you time and money!
- Watch simple, step-by-step instructions on how to apply V-Notch™ Secondary Labels to BD Vacutainer® Plus Plastic Tubes.

[www.pdcorp.com/v-notch](http://www.pdcorp.com/v-notch)

All PDC Laboratory products are latex-free and some are available with custom imprinting.

# V-NOTCH LABELS

LABORATORY



## V-NOTCH™ SECONDARY LABELS:

The Simple Solution for Accurate Labeling & ID  
V-Notch™ Secondary Labels provide quick, easy and accurate identification of **BD Vacutainer® Plus Plastic Tubes**. The V-shaped notch aligns with the color-coded notch and sidebar to provide :

- ✓Consistent & Easy Labeling Guides
- ✓Accurate & Reliable Bar Code Scanning
- ✓Quicker Test Results
- ✓Operational Efficiencies That Save Time & Money
- ✓Increased Clinician Satisfaction
- ✓Patient Safety & Satisfaction
- ✓Accurate ID



BEFORE



AFTER

## TO APPLY THE V-NOTCH LABELS:


**STEP 1:**  
Peel your V-Notch™ Secondary Label from the liner.



**STEP 2:**  
Visually align the V-Notch™ with the color-coded notch on the BD Vacutainer® Plus plastic tube.



**STEP 3:**  
Before you apply the V-Notch™ Secondary label, make sure the color-coded notch and the color-coded sidebar on the BD Vacutainer® Plus Plastic Tube are clearly visible. Smoothly wrap the label around the tube.



POSITIVE ID.  
POSITIVE OUTCOMES.

TOP SELLER

## PIEDMONT HOSPITAL ATLANTA, GA

"After switching to V-Notch™ labels, we increased our number of lab results by 290,000 over 3 years! That's a 14% increase in productivity. On top of that, we reduced test tube label costs by 6%.

V-Notch™ helped us reduce expenses, increase efficiency, and maintain our focus on patient safety and quality care."


**DAWN D. MOORE,**  
Laboratory Director



## UNIVERSITY OF KENTUCKY

"Prior to using V-Notch™, our staff was forced to re-label more than 90% of our test tubes. Now that we're using V-Notch™, we're re-labeling fewer than 10%. Plus, we're experiencing significant time and cost savings."





**BARBARA BUSH,**  
Laboratory Manager









### Sunquest Labeling Solutions for your Laboratory

The following labels are designed specifically for Sunquest Information Systems as well as routine labeling applications. The BD symbol in this section indicates a V-notch label, which are developed in conjunction with BD to prevent misidentification errors from unaligned labels, while facilitating accurate bar code scanning.



Product Number	Label Size	Core Size	Max OD	Material/Adhesive	Qty.
TD-SQ4	1-3/16" x 4-1/8"	3"	7-1/2"	Direct Thermal/Glove	4.3M/RL-2RLS/BX
TD1-SQ4		1"	4"	Direct Thermal/Glove	1M/RL-6RLS/BX
TD1-SQ4-BD		1"	4"	Direct Thermal/Glove	1M/RL-6RLS/BX
TD-SQ4-XP		3"	7-1/2"	Direct Thermal/Xtra Permanent	4.3M/RL-2RLS/BX
TD-SQ4-XPBD		3"	7-1/2"	Direct Thermal/Xtra Permanent	4.3M/RL-2RLS/BX
DPS-SQ4		3"	7-1/2"	Infrared/Glove	4.3M/RL-2RLS/BX
TD-SQ4Y		3"	7-1/2"	Direct Thermal/Glove	4.3M/RL-2RLS/BX
TD-SQ4Y-XP		3"	7-1/2"	Direct Thermal/Xtra Permanent	4.3M/RL-2RLS/BX
DPS-SQ4Y		3"	7-1/2"	Infrared/Glove	4.3M/RL-2RLS/BX
TD-SQ4-BD		3"	7-1/2"	Direct Thermal/Glove	4.3M/RL-2RLS/BX
TD-SQ4Y-BD		3"	7-1/2"	Direct Thermal/Glove	4.3M/RL-2RLS/BX



Product Number	Label Size	Core Size	Max OD	Material/Adhesive	Qty.
DPS-SQBLSTR	1-3/16" x 4-1/8"	1-1/2"	4"	Infrared/Glove	1.2M/RL-8RLS/BX
TD-SQBLSTR				Direct Thermal/Glove	
TD-SQBLSTR-XP				Direct Thermal/Xtra Permanent	
DPS-SQBLSRRED				Infrared/Glove	
TD-SQBLSRRED				Direct Thermal/Glove	
TD-SQBLSR-BD				Direct Thermal/Glove	
TD-SQBLSTRBD				Direct Thermal/Glove	







BD, BD Logo, and V-Notch™ trademarks are the property of Becton, Dickinson and Company. ©2005 BD.

# SUNQUEST INFORMATION SYSTEM LABELS

LABORATORY



Sunquest Labeling Solutions for your Laboratory



Product Number	Label Size	Core Size	Max OD	Material/Adhesive	Qty.
TD-SQ4YB	1-3/16" x 4-1/8"	3"	7-1/2"	Direct Thermal/Glove	4.3M/RL-2RLS/BX
TD-SQ4YB-BD				Direct Thermal/Glove	
TD-SQ4B				Direct Thermal/Glove	
TD-SQ4B-BD				Direct Thermal/Glove	
DPS-SQ4B				Infrared/Glove	
TD-SQ4R				Direct Thermal/Glove	
TD-SQ4R-BD				Direct Thermal/Glove	
TD-SQ4R-XP				Direct Thermal/Xtra Permanent	
DPS-SQ4R				Infrared/Glove	
TD-SQ4-SL				Direct Thermal/Glove	
TD-SQ4-SLBD				Direct Thermal/Glove	

“Each year more than 7 billion laboratory tests are performed in North America, influencing an estimated 70% of medical decisions.”



Implementation Guide for the use of Bar Code Technology in Healthcare published by HIMSS

# SUNQUEST INFORMATION SYSTEM LABELS

LABORATORY




## Sunquest Labeling Solutions for your Laboratory




V-Notch




Product Number	Label Size	Core Size	Max OD	Material/Adhesive	Qty.
TD-SQBL	1-3/16" x 4-1/8"	1-1/2"	4"	Direct Thermal/Glove	1.2M/RL-8RLS/BX
DPS-SQBLS-SL				Infrared/Glove	
TD-SQBLS-SL				Direct Thermal/Glove	
TD-SQBLSL-BD				Direct Thermal/Glove	




Product Number	Label Size	Core Size	Max OD	Material/Adhesive	Qty.
DPS-MSQ-22	1-7/16" x 3-1/16"	3"	5-1/8"	Infrared/Glove	1.2M/RL-5RLS/BX
TD-MSQ-22				Direct Thermal/Glove	




Product Number	Label Size	Carrier Width	Core Size	Material/Adhesive	Qty.
DPS-MSQ-21	1-7/16" x 8-15/32"	8-1/2"	Fanfold	Infrared/Glove	5M/BX



new!



V-Notch



Product Number	Label Size	Core Size	Max OD	Material/Adhesive	Qty.
TD-MSQ-23	1-7/16" x 3-1/16"	1"	3-3/4"	Direct Thermal/Glove	1M/RL-5RLS/BX
TD-MSQ-23BD					
TD-MSQ23-R					


SUNQUEST

# SUNQUEST INFORMATION SYSTEM LABELS


LABORATORY



Sunquest Labeling Solutions for your Laboratory




Product Number	Label Size	Core Size	Max OD	Material/Adhesive	Qty.
TTRS-23	2" x 3"	1"	3-3/4"	Thermal Transfer Film Kimdura/Perm	1M/RL



Fanfold


Product Number	Label Size	Carrier Width	Material/Adhesive	Qty.
DPS-SQ2	13/16" x 2-5/8"	4-3/4"	Smudge Proof Flexo/Permanent	5M/BX




Product Number	Sheet Size	Carrier Width	Core Size	Material/Adhesive	Qty.
DPS-SQ3	5" x 12"	12"	Fanfold/EDP	Smudge Proof Flexo/Glove & Paper	1M/BX



### Sunquest Labeling Solutions for your Laboratory



Product Number	Sheet Size	Carrier Width	Core Size	Material/Adhesive	Qty.
DPS-SQ5	3-7/16" x 8"	9"	Fanfold/EDP	Smudge Proof Flexo/Permanent	2M/BX




Product Number	Sheet Size	Carrier Width	Core Size	Material/Adhesive	Qty.
DPS-SQ6	6-7/8" x 8-7/8"	11"	Fanfold/EDP	Smudge Proof Flexo/Permanent	1M/BX

# SUNQUEST INFORMATION SYSTEM LABELS


LABORATORY



Sunquest Labeling Solutions for your Laboratory



Product Number	Sheet Size	Carrier Width	Core Size	Material/Adhesive	Qty.
DPS-SQ7	5-3/8" x 8"	9"	Fanfold/EDP	Smudge Proof Flexo/Permanent	1M/BX



Product Number	Label Size	Core Size	Max OD	Material/Adhesive	Qty.
TD1A-SQ7	6-5/8" x 3-3/4"	1-1/2"	4-7/8"	Direct Thermal/Glove	400/RL-8RLS/BX



## Labeling Solutions for Point-of-Care Safety




Increase patient safety and assure accuracy of identification at the point-of-care. Whether it's medication administration or specimen collection, PDC labels help hospitals utilize the latest bar code scanning and wireless mobility products for medical care.


### Labeling at the point of collection

- Provides an immediate method of positive identification
- Increases accuracy of labeling specimens and containers
- Can help reduce costs associated with retesting

When accuracy and speed of diagnosis count, count on PDC point-of-care labeling solutions. For additional information, please contact your local PDC sales representative.



V-Notch



new!

V-Notch



new!

V-Notch



Product Number	Label Size	Core Size	Max OD	Material/Adhesive	Qty.
TD75-1142	1-1/4" x 2"	3/4"	2"	Direct Thermal/Glove	250/RL-8RLS/BX
TD75F-1142	1-1/4" x 2"		2"	Direct Thermal Film/Glove	
TD75-1142-BD	1-1/4" x 2"		2"	Direct Thermal/Glove	
TD75-1142A	1-1/4" x 2"		2"	Direct Thermal/Glove	
TD75-SQ-BD	2-3/16" x 2"		2.2"	Direct Thermal/Glove	200/RL-8RLS/BX
TD75-17162BD	1-7/16" x 2"		2"	Direct Thermal/Glove	250/RL-8RLS/BX

#### U.S. HEADQUARTERS

San Fernando, CA  
13880 Del Sur Street  
San Fernando, CA 91340-3490  
800.772.1122 | 818.897.1111  
Fax: 818.686.9314  
E-mail: [info@pdcorp.com](mailto:info@pdcorp.com)

[pdcorp.com](http://pdcorp.com)

#### BURR RIDGE, ILLINOIS

144 Tower Drive  
Burr Ridge, Illinois 60527  
800.323.4840 | 630.986.1800  
Fax: 800.548.5359  
E-mail: [info@pdcorp.com](mailto:info@pdcorp.com)

[timemed.com](http://timemed.com)

#### INTERNATIONAL HEADQUARTERS

Europe, Middle East & Africa  
Rue de l'Industrie 17  
1400 Nivelles, Belgium  
+32 67 89 56 56  
Fax: +32 67 21 77 10  
E-mail: [info@pdcorp.com](mailto:info@pdcorp.com)

[pdcorp.com](http://pdcorp.com)

#### LATIN AMERICA & ASIA

+1 818.897.1111  
Fax: +1 818.686.9317  
E-mail: [intl@pdcorp.com](mailto:intl@pdcorp.com)



## Precision Dynamics Corporation

POSITIVE ID. POSITIVE OUTCOMES.

Since joining forces with TimeMed Labeling Systems in 2008, Precision Dynamics offers the largest selection of quality wristband and labeling systems in Healthcare. Our ID solutions meet multiple Joint Commission Patient Safety Goals and are used at each of the top 100 Hospitals in the United States, based on surveys from *Hospital & Health Networks* and *U.S. News & World Report*.

As an ISO-9001 certified company, Precision Dynamics follows a systematic, world-standard approach to ensure superior product design, manufacturing, and customer support services.

Product names, company names, marks, logos and symbols mentioned herein are trademarks or registered trademarks of Precision Dynamics Corporation. All other product names, marks, logos, and symbols mentioned herein are trademarks of their respective owners.



This catalog is printed with water-based inks on recycled paper with 25% post-consumer recycled content. Please recycle or pass along this catalog so it can be used again.

HC-106-0310 7,000 E-Catalog 03/10